




TUBOS Y PANTALLAS





NAVE

20-50W




Pantallas estancas LED con cuerpo y difusor de policarbonato. Incluye driver LED Isolated. Fase y Neutro por ambos extremos.

Waterproof LED fittings with polycarbonate diffuser and body. Includes LED Isolated driver. Phase and Neutral at both ends.



20W


12 uds



Ref.	K	Lum.	Color
LED-30362-CB	3000	1900	BLANCO
LED-30362-NB	4000	2000	
LED-30362-FB	6000	2100	

40W


8 uds



Ref.	K	Lum.	Color
LED-30364-CB	3000	3900	BLANCO
LED-30364-NB	4000	4000	
LED-30364-FB	6000	4100	

50W

8 uds



Ref.	K	Lum.	Color
LED-30366-CB	3000	4900	BLANCO
LED-30366-NB	4000	5000	
LED-30366-FB	6000	5200	



NEXUS

10-40W

Pantallas estancas LED de ABS y difusor de policarbonato.

Waterproof ABS LED fittings and polycarbonate diffuser.

LED EPISTAR
SMD 2835

100.000h

IP65

FP>0,9

50-60Hz

220-240V

CRI>80

140°

IK06

10-20W

		8/12 uds	Ref.	W	K	Lum.	N° Clips
80	70		SMD-40361-NB SMD-40361-FB	10W	4000 5500	1200 1300	6
80	100		SMD-40362-NB SMD-40362-FB	20W	4000 5500	2400 2500	

20W

		9/6 uds	Ref.	W	K	Lum.	N° Clips
80	70		SMD-40363-NB SMD-40363-FB	20W	4000 5500	2400 2500	10

25W

		9/6 uds	Ref.	W	K	Lum.	N° Clips
80	70		SMD-40365-NB SMD-40365-FB	25W	4000 5500	3000 3100	12

CLIP ACERO INOX

		1 uds	Ref.	MATERIAL
	Accesorio para pantallas		CLIP-POL	ACERO INOXIDABLE



LIMA

60-150cm

Pantallas estancas de ABS y difusor de policarbonato. Para tubo LED.

No incluye tubo LED.

Waterproof ABS fittings and polycarbonate diffuser. For LED tube. Does not include LED tube.



IP65



120°



IK06



1 EXTREMO

60 cm		12/8 uds	Ref.	Lamp.	Conexión	N° Clips
80		70	POL-40361-FN	1X60cm	G13	6
		100	POL-40362-FN	2X60cm		
		660 mm				
120 cm		12/8 uds	Ref.	Lamp.	Conexión	N° Clips
80		70	POL-40363-FN	1X120cm	G13	8
		100	POL-40364-FN	2X120cm		
		1260mm				
150 cm		12/8 uds	Ref.	Lamp.	Conexión	N° Clips
80		70	POL-40365-FN	1X150cm	G13	8
		100	POL-40366-FN	2X150cm		
		1560 mm				

CLIP ACERO INOX

1 ud

Ref.

MATERIAL



Accesorio para pantallas

CLIP-POL

ACERO INOXIDABLE

PANTALLA PORTÁTIL


1 ud

Ref.

Lamp.

Conex.

N° Clips



Pantalla de trabajo de aluminio y difusor de policarbonato.

Incluye 2 tubos LED de 10W (60cm) e incorpora 2 tomas schuko.

TRA-30362-FN

2x10W

G13

6




T8 PRO


9-24W Gama PRO


Tubo LED de cristal T8 gama profesional.

Glass LED tube t8 professional

- 
LED EPISTAR
SMD 2835
- 
50.000h
- 
100.000
- 
IP20
- 
FP>0,9
- 
50-60Hz
- 
100-240V
- 
CRI>70
- 
320°
- 
1 EXTREMO

9W	25 uds	Ref.	K	Lum.	CONEX
		T8IG-10600-C	3000	900	T8
		T8IG-10600-N	4000	1000	
		T8IG-10600-F	6000	1100	

18W	25 uds	Ref.	K	Lum.	CONEX
		T8IG-20120-C	3000	1800	T8
		T8IG-20120-N	4000	1900	
		T8IG-20120-F	6000	2000	

24W	25 uds	Ref.	K	Lum.	CONEX
		T8IG-25150-C	3000	2500	T8
		T8IG-25150-N	4000	2600	
		T8IG-25150-F	6000	2700	

